




2,6-ビス(4-フェニル-2-オキサゾリン-2-イル)ピリジン  
2,6-Bis(4-phenyl-2-oxazolin-2-yl)pyridine

T180406A

$\alpha$	1.2
$R_s$	3.5



(R, R)



(S, S)

Column : Alcyon SFC CSP Cellulose-SB (5  $\mu$ m)  
250 X 4.6 mm I.D.

Eluent : CO<sub>2</sub>/methanol containing 0.1 % diethylamine (70/30)

Flow rate : 3.0 mL/min

Temperature : 35°C

Detection : UV at 210 nm

Backpressure : 13.8 MPa (2000 psi)

Injection : 2  $\mu$ L (0.5 mg/mL)